



SUNBELT
 RENTALS OF CANADA
 CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Radiant MANUFACTURER: Flagro
 MODEL: FRHR-100 SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Emitter Grid, Legs
- 2. All Labels Clean and Legible
- 3. Gas Inlet Fitting Clean & Complete
- 4. Tip-Over Switch and Wiring
- 5. Cutoff (Eco) Switch Installed
- 6. Thermocouple Mount & Connection
- 7. Pilot Assembly and Feed Tube
- 8. Low-Pressure Feed Tube & Fittings
- 9. Main Burner Pipe & Orifice
- 10. Ignitor, Electrode, & Wiring
- 11. Gas Valve and Control Knobs
- 12. Thermostat Bulb & Capillary Tube

OPERATION CHECK - CONNECTION:

- 1. Check for gas leaks around the inlet.
- 2. Check for gas flow through pilot or burner.
- 3. Control knob turns and presses easily.
- 4. All gas flow stops when knob is released.

LIGHT THE HEATER:

- 5. Pilot holds within 20 seconds.
- 6. Pilot goes out if heater is tilted > 30°
- 7. Main flame burns cleanly and evenly.
- 8. Regulator is set for correct heat level.
- 9. Thermostat works correctly.
- 10. Leave knob "On" and close gas supply.
- Valve closes securely < 40 seconds.
- Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
 RENTALS OF CANADA
 CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Radiant MANUFACTURER: Flagro
 MODEL: FRHR-100 SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Emitter Grid, Legs
- 2. All Labels Clean and Legible
- 3. Gas Inlet Fitting Clean & Complete
- 4. Tip-Over Switch and Wiring
- 5. Cutoff (Eco) Switch Installed
- 6. Thermocouple Mount & Connection
- 7. Pilot Assembly and Feed Tube
- 8. Low-Pressure Feed Tube & Fittings
- 9. Main Burner Pipe & Orifice
- 10. Ignitor, Electrode, & Wiring
- 11. Gas Valve and Control Knobs
- 12. Thermostat Bulb & Capillary Tube

OPERATION CHECK - CONNECTION:

- 1. Check for gas leaks around the inlet.
- 2. Check for gas flow through pilot or burner.
- 3. Control knob turns and presses easily.
- 4. All gas flow stops when knob is released.

LIGHT THE HEATER:

- 5. Pilot holds within 20 seconds.
- 6. Pilot goes out if heater is tilted > 30°
- 7. Main flame burns cleanly and evenly.
- 8. Regulator is set for correct heat level.
- 9. Thermostat works correctly.
- 10. Leave knob "On" and close gas supply.
- Valve closes securely < 40 seconds.
- Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
RENTALS OF CANADA
CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Radiant

MANUFACTURER: L.B. White

MODEL: CR-100

SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Emitter, Base Plate
- 2. All Labels Clean and Legible
- 3. Gas Inlet Fitting Clean & Complete
- 4. Tip-Over & Cutoff Switch and Wiring
- 5. Ignitor, Electrode, and Wiring
- 6. Thermocouple Mount & Connection
- 7. Pilot Assembly and Feed Tube
- 8. Low-Pressure Feed Tube & Fittings
- 9. Main Burner Pipe & Orifice
- 10. Gas Valve and Control Knobs
- 11. Thermostat Bulb & Capillary Tube

OPERATION CHECK - CONNECTION:

- 1. Check for gas leaks around the inlet.
- 2. Check for gas flow through pilot or burner.
- 3. Control knob turns and presses easily.
- 4. All gas flow stops when knob is released.

LIGHT THE HEATER:

- 5. Pilot holds within 30 seconds.
 - 6. Pilot goes out if heater is tilted > 30°
 - 7. Main flame burns cleanly and evenly.
 - 8. Thermostat works correctly.
 - 9. Leave knob "On" and Close gas supply.
- Valve must close securely < 40 seconds.
Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
RENTALS OF CANADA
CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Radiant

MANUFACTURER: L.B. White

MODEL: CR-100

SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Emitter, Base Plate
- 2. All Labels Clean and Legible
- 3. Gas Inlet Fitting Clean & Complete
- 4. Tip-Over & Cutoff Switch and Wiring
- 5. Ignitor, Electrode, and Wiring
- 6. Thermocouple Mount & Connection
- 7. Pilot Assembly and Feed Tube
- 8. Low-Pressure Feed Tube & Fittings
- 9. Main Burner Pipe & Orifice
- 10. Gas Valve and Control Knobs
- 11. Thermostat Bulb & Capillary Tube

OPERATION CHECK - CONNECTION:

- 1. Check for gas leaks around the inlet.
- 2. Check for gas flow through pilot or burner.
- 3. Control knob turns and presses easily.
- 4. All gas flow stops when knob is released.

LIGHT THE HEATER:

- 5. Pilot holds within 30 seconds.
 - 6. Pilot goes out if heater is tilted > 30°
 - 7. Main flame burns cleanly and evenly.
 - 8. Thermostat works correctly.
 - 9. Leave knob "On" and Close gas supply.
- Valve must close securely < 40 seconds.
Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
RENTALS OF CANADA
CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Direct Fire

MANUFACTURER: Flagro

MODEL: F-150

SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Barrel, Legs
- 2. Label Plate Clean and Legible
- 3. POL Fitting has Excess Flow Control
- 4. O-Ring on POL Fitting
- 5. Regulator and Adjustment Knob
- 6. Gas Hose and Support Clip
- 7. Thermocouple Mount & Connection
- 8. Low-Fire (Pilot) Line and Orifice
- 9. Valve Train Fittings and Air Mixer
- 10. Main Burner Tube & Orifice
- 11. Gas Valve With Pilot Button

OPERATION CHECK - CONNECTION:

- 1. Gas leaks from inlet, regulator, or hose.
- 2. Check for gas flow through the burner.
- 3. Pilot Button presses and returns easily.
- 4. Gas flow stops when button is released.

LIGHT THE HEATER:

- 5. Low-Fire (Pilot) burns correctly.
- 6. Burner holds within 20 seconds.
- 7. Burner flame is clean and even.
- 8. Regulator is set for correct heat level.
- 9. Shut Off gas supply. Valve must close

securely in less than 40 seconds.
Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
RENTALS OF CANADA
CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Direct Fire

MANUFACTURER: Flagro

MODEL: F-150

SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Barrel, Legs
- 2. Label Plate Clean and Legible
- 3. POL Fitting has Excess Flow Control
- 4. O-Ring on POL Fitting
- 5. Regulator and Adjustment Knob
- 6. Gas Hose and Support Clip
- 7. Thermocouple Mount & Connection
- 8. Low-Fire (Pilot) Line and Orifice
- 9. Valve Train Fittings and Air Mixer
- 10. Main Burner Tube & Orifice
- 11. Gas Valve With Pilot Button

OPERATION CHECK - CONNECTION:

- 1. Gas leaks from inlet, regulator, or hose.
- 2. Check for gas flow through the burner.
- 3. Pilot Button presses and returns easily.
- 4. Gas flow stops when button is released.

LIGHT THE HEATER:

- 5. Low-Fire (Pilot) burns correctly.
- 6. Burner holds within 20 seconds.
- 7. Burner flame is clean and even.
- 8. Regulator is set for correct heat level.
- 9. Shut Off gas supply. Valve must close

securely in less than 40 seconds.
Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
RENTALS OF CANADA
CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Direct Fire

MANUFACTURER: Flagro

MODEL: F-375

SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Barrel, Legs
- 2. Label Plate Clean and Legible
- 3. POL Fitting has Excess Flow Control
- 4. O-Ring on POL Fitting
- 5. Regulator and Adjustment Knob
- 6. Gas Hose and Support Clip
- 7. Thermocouple Mount & Connection
- 8. Low-Fire (Pilot) Line and Orifice
- 9. Valve Train Fittings and Air Mixer
- 10. Main Burner Tube & Orifice
- 11. Gas Valve With Pilot Button

OPERATION CHECK - CONNECTION:

- 1. Gas leaks from inlet, regulator, or hose.
- 2. Check for gas flow through the burner.
- 3. Pilot Button presses and returns easily.
- 4. Gas flow stops when button is released.

LIGHT THE HEATER:

- 5. Low-Fire (Pilot) burns correctly.
- 6. Burner holds within 20 seconds.
- 7. Burner flame is clean and even.
- 8. Regulator is set for correct heat level.
- 9. Shut Off gas supply. Valve must close

Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____



SUNBELT
RENTALS OF CANADA
CLIMATE CONTROL DIVISION

CONSTRUCTION HEATER INSPECTION CHECKLIST

TYPE: Direct Fire

MANUFACTURER: Flagro

MODEL: F-375

SERIAL: _____

CONDITION CHECK:

- 1. Frame, Screens, Barrel, Legs
- 2. Label Plate Clean and Legible
- 3. POL Fitting has Excess Flow Control
- 4. O-Ring on POL Fitting
- 5. Regulator and Adjustment Knob
- 6. Gas Hose and Support Clip
- 7. Thermocouple Mount & Connection
- 8. Low-Fire (Pilot) Line and Orifice
- 9. Valve Train Fittings and Air Mixer
- 10. Main Burner Tube & Orifice
- 11. Gas Valve With Pilot Button

OPERATION CHECK - CONNECTION:

- 1. Gas leaks from inlet, regulator, or hose.
- 2. Check for gas flow through the burner.
- 3. Pilot Button presses and returns easily.
- 4. Gas flow stops when button is released.

LIGHT THE HEATER:

- 5. Low-Fire (Pilot) burns correctly.
- 6. Burner holds within 20 seconds.
- 7. Burner flame is clean and even.
- 8. Regulator is set for correct heat level.
- 9. Shut Off gas supply. Valve must close

Turn on gas and check for any gas flow.

HEATERS MUST NOT BE USED UNTIL FULLY INSPECTED, AND ANY PROBLEMS ARE CORRECTED

BRANCH: _____ DATE: _____ SIGNATURE: _____